

Non - Illuminated Pushbuttons 30mm
(momentary action)

NEMA 4, 4x, 12, 13 / UL / CSA / CE



T11AA01

Flush
without engraving

Color	Part Number	List Price
Red	T11AA01	\$10.30
Green	T11AA02	
Black	T11AA03	
Yellow	T11AA04	
White	T11AA05	
Blue	T11AA06	
Orange	T11AA07	

Marking

Flush	Marking	Color	Part Number	List Price
engraving included	0	Red	T11AA81	\$10.30
		Green	T11AA82	
max. 2 lines of text		Black	T11AA83	
max. 10 characters per line	*	Red	T11AA31	
* See page 5-107 for standard texts	*	Green	T11AA32	
and symbols. Add engraving	*	Black	T11AA33	
reference number to end of	*	Yellow	T11AA34	
pushbutton part number to order	*	White	T11AA35	
pushbutton with engraving.	*	Blue	T11AA36	
For special engraving contact	*	Orange	T11AA37	
Baco Controls.				



F24AA01

Super-flush
without engraving*

Anti-shock
Anti-vandalism
Metal bezel

Color	Part Number	List Price
Red	F24AA01	\$14.87
Green	F24AA02	
Black	F24AA03	
Yellow	F24AA04	
White	F24AA05	
Blue	F24AA06	

* Super-flush operators are also available with engraving, contact Baco Controls for details.



T11AB02

Projected

Color	Part Number	List Price
Red	T11AB01	\$10.30
Green	T11AB02	
Black	T11AB03	
Yellow	T11AB04	
White	T11AB05	
Blue	T11AB06	
Orange	T11AB07	

Notes:

- 1) **Contact Blocks and Clips:** see pages 5-112 to 5-117 for details.
- 2) **Collar Options:** see page 5-110 for details.
- 3) **Legend Plates, Light Bulbs, and Accessories:** see pages 5-104 to 5-111 for details.
- 4) **Complete Devices:** consisting of operator head, contact blocks, clips, and bulbs are available; see pages 4-85 to 4-90 for details.
- 5) **Dimensional Information:** see pages 5-120 to 5-121 for details.
- 6) **Technical Specifications:** see pages 5-122 to 5-123 for details.
- 7) **General Ordering Information:** see page I for details.

Non - Illuminated Pushbuttons 30mm
(momentary action)

NEMA 4, 4x, 12, 13 / UL / CSA / CE



T12AG07

Flush
with transparent silicone shroud

Color	Part Number	List Price
Red	T12AG01	\$14.64
Green	T12AG02	
Black	T12AG03	
Yellow	T12AG04	
White	T12AG05	
Blue	T12AG06	
Orange	T12AG07	

Flush
with colored rubber shroud

Red	T12AF01	\$16.84
Green	T12AF02	
Black	T12AF03	
Yellow	T12AF04	



T11AD01

40mm Mushroom Head

Red	T11AD01	\$16.19
Red*	T11AD01S	
Green	T11AD02	
Black	T11AD03	
Yellow	T11AD04	

* with "STOP STOP STOP" text



T11AE01

70MM Mushroom Head

Red	T11AE01	\$26.17
Black	T11AE03	
Yellow	T11AE04	
Red*	T11AT01	\$54.41

* Metallic Mushroom Head

Notes:

- 1) **Contact Blocks and Clips:** see pages 5-112 to 5-117 for details.
- 2) **Collar Options:** see page 5-110 for details.
- 3) **Legend Plates, Light Bulbs, and Accessories:** see pages 5-104 to 5-111 for details.
- 4) **Complete Devices:** consisting of operator head, contact blocks, clips, and bulbs are available; see pages 4-85 to 4-90 for details.
- 5) **Dimensional Information:** see pages 5-120 to 5-121 for details.
- 6) **Technical Specifications:** see pages 5-122 to 5-123 for details.
- 7) **General Ordering Information:** see page I for details.

Non - Illuminated Pushbuttons 30mm
(momentary action)

NEMA 4, 4x, 12, 13 / UL / CSA / CE



T52QA02

	Marking	Color	Part Number	List Price
Twin Touch				
Flush	I	Green	T52QA02	\$20.75
Flush	O	Red		
<hr/>				
Flush	Start	Green	T52QA20	\$20.75
Flush	Stop	Red		
<hr/>				
Flush	I	Black	T52QA03	\$20.75
Projecting	O	Red		
<hr/>				
Twin Touch with silicone shroud				
Flush	Start	Green	T52QG02	\$27.89
Flush	Stop	Red		

Notes:

- 1) **Contact Blocks and Clips:** see pages 5-112 to 5-117 for details.
- 2) **Collar Options:** black frame standard, for gray frame change 'T52' to 'T53'.
- 3) **Legend Plates, Light Bulbs, and Accessories:** see pages 5-104 to 5-111 for details.
- 4) **Complete Devices:** consisting of operator head, contact blocks, clips, and bulbs are available; see pages 4-85 to 4-90 for details.
- 5) **Dimensional Information:** see pages 5-120 to 5-121 for details.
- 6) **Technical Specifications:** see pages 5-122 to 5-123 for details.
- 7) **General Ordering Information:** see page I for details.

Non - Illuminated Pushbuttons 30mm
(maintained action)

NEMA 4, 4x, 12, 13 / UL / CSA / CE



T11CB01

Projected
push - push

Use only with 231E & 233E
block holder clips.

Color	Part Number	List Price
Red	T11CB01	\$27.86
Green	T11CB02	
Black	T11CB03	
Yellow	T11CB04	
White	T11CB05	
Blue	T11CB06	
Orange	T11CB07	



T11GF00

Key Lock Pushbutton - Projected
#455 key standard

All key lock switches meet IEC
standards for water jet spray resistance.
NEMA 12 & 13

T11GF00	\$45.60
T11GG00	
T11GH00	
T11GJ00	
T11GK00	
T11GL00	
T11GM00	

Function Descriptions:

- GF,GJ - Pushbutton lockable in the 'extended' position only. Turn key 90° to the right to unlock and allow momentary "push" function. Turn key 90° to the left in the 'extended' position to lock. Key can not be turned to the left when pushbutton is in the 'depressed' position. Key removable in both the left and right positions for GF version, key removable in the left position only for GJ version.
- GG,GK - Pushbutton lockable in the 'depressed' position only. Turn key 90° to the right to unlock and allow momentary "push" function. Turn key 90° to the left in the 'depressed' position to lock. Key can not be turned to the left when pushbutton is in the 'extended' position. Key removable in both the left and right positions for GG version, key removable in the left position only for GK version.
- GH,GL - Pushbutton lockable in both the 'extended' and 'depressed' positions. Turn key 90° to the right to unlock and allow momentary "push" function. Turn key 90° to the left in the 'extended' or the 'depressed' position to lock. Key removable in both the left and right positions for GF version, key removable in the left position only for GJ version.
- GM - Push to lock. Turn key 90° to the right to unlock. Turn key 90° to the left in the 'extended' position to reset. Key removable in left position only.

Notes:

- 1) **Contact Blocks and Clips:** see pages 5-112 to 5-117 for details.
- 2) **Collar Options:** see page 5-110 for details.
- 3) **Legend Plates, Light Bulbs, and Accessories:** see pages 5-104 to 5-111 for details.
- 4) **Complete Devices:** consisting of operator head, contact blocks, clips, and bulbs are available; see pages 4-85 to 4-90 for details.
- 5) **Dimensional Information:** see pages 5-120 to 5-121 for details.
- 6) **Technical Specifications:** see pages 5-122 to 5-123 for details.
- 7) **General Ordering Information:** see page I for details.

Non - Illuminated Pushbuttons 30mm
(maintained action)

NEMA 4, 4x, 12, 13 / UL / CSA / CE



T11DD01

40mm Mushroom Head
push - pull

Use only with 231E & 233E
block holder clips.

Color	Part Number	List Price
Red	T11DD01	\$22.03
Red*	T11DD01S	
Green	T11DD02	
Black	T11DD03	
Yellow	T11DD04	

* with "STOP STOP STOP" text



T11GM01

40mm Mushroom Head
key lock (#455 key standard)

Use only with 231E & 233E block holder clips.

Red	T11DE01	\$44.05
-----	---------	---------

Use only with 231E & 233E block holder clips.

Push to latch. Turn key 90° to the right to reset . Key removable in vertical position only.



T11ED01

40mm Mushroom Head
push - turn

Push mushroom head to latch,
turn to right to release

Red	T11GP01	\$58.30
-----	---------	---------

Use only with 231E & 233E block holder clips.

Push to latch. Turn key 90° to the right to reset . Key removable in vertical position only.

Red	T11ED01	\$25.65
Red*	T11ED01S	
Green	T11ED02	
Black	T11ED03	
Yellow	T11ED04	

* with "STOP STOP STOP" text

40mm Mushroom Head
push - turn manual latching

Turn mushroom head to right, push,
turn back to left to latch.

Red	T11FD01	\$27.21
Red*	T11FD01S	
Green	T11FD02	
Black	T11FD03	
Yellow	T11FD04	

* with "STOP STOP STOP" text

Notes:

- 1) **Contact Blocks and Clips:** see pages 5-112 to 5-117 for details.
- 2) **Collar Options:** see page 5-110 for details.
- 3) **Legend Plates, Light Bulbs, and Accessories:** see pages 5-104 to 5-111 for details.
- 4) **Complete Devices:** consisting of operator head, contact blocks, clips, and bulbs are available; see pages 4-85 to 4-90 for details.
- 5) **Dimensional Information:** see pages 5-120 to 5-121 for details.
- 6) **Technical Specifications:** see pages 5-122 to 5-123 for details.
- 7) **General Ordering Information:** see page I for details.